



3.5G HSDPA USB ADAPTER

GLOBAL MOBILE BROADBAND

3.5G mobile protocol lets you take your broadband connection with you wherever you go

PLUG AND PLAY

Built-in drivers and software provide immediate access to data and SMS functions

CONVENIENT DESIGN

Compact USB-powered adapter uses an internal antenna and requires no batteries or cables



RELIABLE MOBILE CONNECTIVITY

Whether at home, in the office, or traveling abroad, the DWM-152 provides reliable broadband connectivity for notebook users on the go. Maximum download speeds of up to 3.6 Mbps allow you to do more with your mobile connection than ever before.

OPTIMAL PERFORMANCE WITH 3.5G HSDPA TECHNOLOGY

Supports the latest 3.5G High Speed Downlink Packet Access (HSDPA) technology, which offers improved data rates and helps to reduce latency. 3.5G is also backwards compatible with 3G and 2.5G technologies.

EFFORTLESS INSTALLATION

Device drivers and software are built into the device making installation fast and simple. The included software provides access to telephone numbers and messages stored on the SIM/USIM card. Ideal for international use, the user interface supports multiple languages including English, Japanese, Chinese, Russian, French, Portuguese, and Spanish.

PRACTICAL PORTABILITY

The USB adapter also doubles as a MicroSD card reader for optional removable storage, allowing you to take both your network and your files with you wherever you go. Better yet, the device is small enough to fit in your pocket – no batteries, cables, or additional hardware required.

WHAT THIS PRODUCT DOES

The 3.5G HSDPA USB Adapter allows users with a computer to connect to worldwide mobile broadband networks. While connected, users can transfer data, stream media, and send SMS messages. A built-in MicroSD card reader slot can be used for optional removable storage.

BENEFITS

- Provides high-speed connectivity in areas without conventional 802.11 wireless access
- Compatible with a wide-range of mobile service networks
- Pocket-sized USB adapter saves space
- MicroSD card reader offers portable storage

TECHNICAL SPECIFICATIONS

MINIMUM SYSTEM REQUIREMENTS

- Windows XP/Vista/7 or Mac OS X 10.4.0+
- Pentium 500 MHz or greater
- 128 MB RAM or greater
- 50 MB available disk space
- Internet Explorer 6 or Firefox 1.5 or higher

GSM BAND (GSM/GPRS/EDGE)¹

- 900 / 1800 MHz
- Power Class 4 (900 / 1850 MHz)
- Power Class 1 (1800 / 1900 MHz)

UMTS/HSDPA BAND²

- 2100 MHz
- Power Class 3 (+24 dBm)

DATA RATES³

- DL: 3.6 Mbps / 384 Kbps
- UL: 384 Kbps

ANTENNA

- Internal monopole antenna

INTERFACE SUPPORT

- USB 2.0

SMS

- Circuit-switched (GSM)
- Packet-switched (GPRS)

SMS MANAGER

- Create, edit, forward, and send messages
- Inbox, outbox, draft, and sent folders

PHONEBOOK

- Import, export, add, modify, and delete records

USIM SLOT

- Standard 6-pin SIM card interface

PLUG AND PLAY

- Automatic software/driver installation

CONNECTION STATUS

- Network name, signal strength, send/receive rate

LED INDICATOR

- Five-color LED provides status information

MICROSD CARD READER

- Supports SDHC MicroSD Cards up to 32 GB

DIMENSIONS (L x W x H)

- 89.4 x 26.68 x 12 mm
(3.52 x 1.05 x 0.47 inches)

OPERATING TEMPERATURE

- -10 to 55 °C (14 to 131 °F)

CERTIFICATION

- CE
- NCC

¹ Supported frequency bands are dependent upon regional hardware version. An 850/900/1800/1900 version is also available.

² Supported frequency bands are dependent upon regional hardware version. Other regional versions include 850/1900/2100 MHz and 900/1900/2100 MHz.

³ Data rates are theoretical. Data transfer rate depends on network capacity and signal strength.



D-Link Corporation
No. 289 Xinhu 3rd Road, Neihu, Taipei 114, Taiwan
Specifications are subject to change without notice.
D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries.
All other trademarks belong to their respective owners.
©2010 D-Link Corporation. All rights reserved.
Release 02 (May 2010)